C-Arm Compatible Hydraulic OT Table

DELITE

HYDRAULIC MOVEMENT

Height, Trendelenburg, Lateral Tilt, Flex-Reflex.

SPECIAL FEATURES

- Eccentric pillar.
- Detachable, head, leg & Pelvic section.
- In built kidney bridge.
- Five Sectional Radio - Translucent Top.
- Base & Cover made of attractive, easy to clean SS 304.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.

OPTIONAL FEATURES

Height Range Customization

TECHNICAL DATA	
Length of Table	1900 mm
Width of Table Top	542 mm
Min. Height (without Mattress)	Min. 750 mm
Max. Height (without Mattress)	1000 mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Lateral Tilt	+20°
Back Section	+60°
Head Section	+60°
Leg Section	0°-90°
Floor Locking System	Manual

TABLE POSITIONS

Height Adjustment - Up

Height Adjustment - Down

Trendelenburg

Reverse Trendelenburg

Flex Position

Rflex Position

Slide Tilt Right

Slide Tilt Left

Top Slide Forward

Top Slide Reverse

FLOOR ORTHO ATTACHMENT

HANGING ORTHO ATTACHMENT

OT TABLE

C-Arm Compatible Electric OT Table
(10 Functions with Top Slide)

AMAZE 5001

ELECTRIC MOVEMENT

Height, Trendelenburg, Lateral Tilt, Flex-Reflex, Top sliding.

SPECIAL FEATURES

- Eccentric pillar.
- Detachable, head, leg & Pelvic section.
- In built kidney bridge.
- Five Sectional Radio - Translucent Top.
- Base & Cover made of attractive, easy to clean SS 304.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.

OPTIONAL FEATURES

- Split leg section
- Center Pillar
- Nurse Panel
- Manual Override
- Standby Battery Back-up with recharging circuit

TECHNICAL DATA	
Length of Table	1900 mm
Width of Table Top	542 mm
Min. Height(without Mattress)	Min. 750 mm
Max. Height(without Mattress)	1000 mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Lateral Tilt	+20°
Back Section	+60°
Head Section	+60°
Leg Section	0°-90°
Floor Locking System	Manual Locking
Top Slide Range	250 mm